



March 16, 2009

Release: Series 10 Release 4

For immediate release

TSX Venture: TDC

**TYHEE ANNOUNCES INITIAL RESULTS FROM 2009 PROGRAM AT CLAN LAKE
PROPERTY, YELLOWKNIFE GOLD BELT, NWT, CANADA**

VANCOUVER, BC (March 16, 2009) - Tyhee Development Corp. (TSX-V: TDC) today announced the initial results of gold assays from the sampling of its archived diamond drill core at Clan Lake, Yellowknife Gold Project, NWT, Canada.

Highlighted intersections from this recent program:

- **Drillhole CL001**
 - 24.0 m of 2.55 gpt gold, including
 - 7.5 m of 4.18 gpt gold and 21.80 gpt silver; and
- **Drillhole CL002**
 - 16.5 m of 2.01gpt gold including:
 - 4.5 m of 6.38 gpt gold and 7.13 gpt silver, and
- **Drillhole CL008**
 - 7.5 m of 2.47 gpt gold; and
- **Drillhole CL010**
 - 11.5 m of 3.12 gpt gold and 8.95 gpt silver, and
- **Drillhole CL011**
 - 43.5 m of 2.56 gpt gold and 5.06 gpt silver, including
 - 9.0 m of 5.35 gpt gold and 9.35 gpt silver, and
- **Drillhole CL015**
 - 12.0 m of 3.99 gpt gold and 10.09 gpt silver.

“These are significant intersections from our archival drill core database, some of which are step-out holes expanding the size of the Main Zone” reports Dave Webb, Tyhee’s President & CEO. “Prior to Tyhee’s involvement at Clan Lake, only the quartz veined rocks were assayed. We now recognize that substantial gold occurs within the host breccias, so a program of relogging, sampling and assaying of these holes is being conducted. These first 14 drillholes are largely within the existing resource (N.R. S.10 R.2, January 22, 2009), however some drillholes are step-out holes. For example, CL008 extends the western boundary of the Main Zone for an additional 25 metres near the north-end towards the Pond Zone.”

Additional drill results are expected from the Clan Lake Pond Zone which occurs 100 m to the west of the north-end of the Main Zone. This zone has not been assessed before by Tyhee and to date, no gold resource has been attributed to the Pond Zone.

The Clan Lake Main Zone gold mineralization is associated with silicification, quartz veining, and quartz breccias with significant pyrrhotite and arsenopyrite disseminations. Previous work included trenching, diamond drilling, and a bulk sample. The zone is 485 m long, up to 200 m wide, poorly exposed to the northwest, and has not been explored in detail to the southeast. There are five subparallel zones over a 1.5 km strike length and other gold showings occur beyond this. Some of these zones have been drilled in the past. Portions of the archival core have been assembled by Tyhee for relogging, sampling and assaying, providing a very cost effective way for the Company to advance the Clan Lake Property.

Maps that show the drillhole locations can be found at www.tyhee.com

Tyhee is extracting the maximum value from its extensive database, optimizing engineering studies while working to obtain production permits for its wholly owned Yellowknife Gold Project.

About Tyhee Development Corp.

Tyhee Development Corp. is a gold exploration and development company currently focused on the historic Yellowknife Gold Camp, NWT, Canada. It is the largest property holder in the historic camp, and has the largest exploration and development program underway in the region. Its principal asset is the advanced-stage Yellowknife Gold Project, which consists of 6,625 hectares (15,481 acres) of mining leases located 90 km (56 miles) north of Yellowknife, NWT, Canada.

Tyhee completed fire assays on drill core samples using 30 gram aliquots with ICP-ES finish for gold analyses, prepared at Acme Analytical Laboratories Ltd. in Yellowknife, and finished at Acme Analytical Laboratories Ltd in Vancouver. A semi-quantitative multi-element analysis is run on 0.5 gm aliquot samples leached in a hot aqua regia solution and measured using ICP-ES techniques. Tyhee conducts a rigorous QA/QC program of inserting blanks and duplicates in the field and standards in the laboratory. The laboratory also conducted their own independent QA/QC program including inserting their own standards and rerunning samples from pulped material and reject material. These results were provided to Tyhee. All standards, duplicates, blanks and check assays returned acceptable results. Mr. Val Pratico, P.Geol., Tyhee's Chief Geologist is the designated QP within the meaning of NI 43-101, has reviewed this release and approves of its content.

NO REGULATORY AUTHORITY HAS APPROVED OR DISAPPROVED THE CONTENT OF THIS RELEASE. THE TSX VENTURE EXCHANGE DOES NOT ACCEPT RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

Tyhee's shares trade on the TSX Venture Exchange under the symbol "TDC". For additional information, please visit the Company's website, www.tyhee.com .

For further information please contact:

Tyhee Development Corp.
David Webb,
President and CEO

The Equicom Group Inc.
Tom McMillan

Tel: 604-681-2877
info@tyhee.com

Tel: 403 36-5903
tmcmillan@equicomgroup.com

Table 1. Selected results from Clan Lake archival drill core.

DDH	From (metres)	To (metres)	Width (metres)	Gold Grade (gpt)	Silver Grade (gpt)
CL001	38.50	62.50	24.00	2.55	
incl	40.00	43.00	3.00	5.46	
and	55.00	62.50	7.50	4.18	21.80
CL002	18.00	34.50	16.50	2.01	
incl	30.00	34.50	4.50	6.38	7.13
CL003	25.50	27.00	1.50	1.36	
CL004	21.75	23.50	1.75	1.49	
CL007	14.00	15.50	1.50	1.62	
CL008	7.00	14.50	7.50	2.47	
CL010	2.00	9.50	7.50	0.83	
And	20.00	31.50	11.50	3.12	8.95
CL011	1.50	45.00	43.50	2.56	5.06
incl	12.00	16.50	4.50	6.04	6.67
and	22.50	31.50	9.00	5.35	9.35
and	42.00	45.00	3.00	8.00	26.30
CL012	4.00	5.50	1.50	1.63	
and	20.50	22.00	1.50	1.60	
and	35.50	37.00	1.50	11.52	
CL013	3.00	15.00	12.00	0.66	2.13
CL014	27.50	38.50	11.00	1.47	
CL015	12.50	24.50	12.00	3.99	10.09

Drillholes CL005 and CL009 did not intersect significant values. True widths are estimated to be >80% of the reported widths.

6,979,400 mN

640,200 mE

640,400 mE



Pond Zone

Main Zone

Fiamme Tuff

Intermediate Tuff

Mafic Flows

Intermediate Flows

6,979,200 mN

Main Zone Pit

CL009

CL008

CL007

CL006

CL005

CL004

CL003

CL002

CL001

CL010

CL011

CL012

CL013

CL014

CL015

6,979,000 mN

Pyroclastics

UTM grid NAD83 Zone 11



Clan Lake Property
Drill Hole Re-sample Program

Drawn by VP

Scale 1 : 2,500

Feb 2009